



CUCINA SELECTION UK
2009-2010

CUCINA SELECTION

*THIS COLLECTION OF BUILT-IN APPLIANCES
HAS BEEN SPECIALLY SELECTED FOR
SUITABILITY IN THE CONTRACT MARKET.
THESE PRODUCTS COMBINE ELEGANCE
AND ADVANCED TECHNOLOGY TO
PROVIDE STYLE AND RELIABILITY,
SATISFYING THE NEEDS OF THE MOST
DISCERNING CUSTOMER.*

*WITH COOKING, REFRIGERATION,
DISHWASHING, LAUNDRY, SINKS AND
TAPS THE CUCINA SELECTION OFFERS THE
CONTRACT BUYER A COMPLETE KITCHEN
PORTFOLIO.*



THE CUCINA SELECTION IS MADE UP OF A RANGE OF SELECTED PRODUCTS DESIGNED SPECIFICALLY WITH THE CONTRACT MARKET IN MIND. THE NEW RANGE OFFERS BOTH EXISTING PRODUCTS IN ADDITION TO A NUMBER OF EXCITING NEW MODELS THAT FURTHER EXTEND THE RANGE, PROVIDING AN EXTENSIVE AND COMPREHENSIVE CHOICE FOR ANY NEW KITCHEN. ALTERNATIVE AND ADDITIONAL PRODUCTS TO THOSE IN THIS COLLECTION ARE FEATURED IN THE SMEG MAIN RANGE, WHICH CAN BE VIEWED AT WWW.SMEGUK.COM



Ovens

The single ovens in the Cucina Selection have been completely renewed. A squared design is now featured throughout and all stainless steel models have become finger friendly. The cavity of the ovens has increased to a generous 60 litres, approximately an extra 18% space to utilise. These ovens also include a new easy clean interior enamel finish, more effectively placed lamps and roof liners as standard. SC485 models include a new cleaning function called Vapor clean, designed to make oven cleaning a simple task.

In addition to the single ovens there are double ovens for both in column and under worktop installation, a built-in microwave oven with grill, and a 90cm dual fuel stainless steel range cooker with two ovens and a storage compartment.



Hobs

Enabling professional cooking, the SE644ID1 60cm induction hob is a quick reacting appliance that also reduces energy consumption making this a superb choice for any kitchen. Providing further versatility of range options the SE32X 30cm electric hob is designed with two plates making it ideal for the more compact kitchen, whilst the 90cm SRV596-5 gas hob with black enamel pan stands and control knobs, is the widest hob in the Cucina selection allowing a much greater usable space for the consumer.



Hoods

Intended to present the finest blend of elegance and functionality the Cucina hoods are composed of the highest grade stainless steel adding to their modern and contemporary design. The range includes the impressive K190C 90cm Island hood which boasts an extraction rate of 700 m³/h ducted (650 m³/h re-circulated). In addition to chimney hoods the Cucina selection also offers a range of integrated hoods including the newly introduced telescopic KSET61, ideal for compact kitchens. All Cucina hoods can be operated in either a ducted or recirculation mode.



Refrigeration

The Cucina selection offers a number of in-column and under worktop refrigeration products, presenting the consumer with plenty of choice. These integrated appliances discreetly merge into a kitchen, creating a simple and chic appearance. The CR325APL is A+ rated, further improving this already economic and environmentally friendly range. Replacement under worktop A rated larder and freezer models are being introduced winter 2009-2010.



Dishwashers

The DI607C is a fully integrated 7-place dishwasher with an ergonomic compact horizontal design. This appliance has a variety of options for installation; in-column, under the counter, in suspended kitchen furniture, and into a standard 60cm aperture. The DI612CAH is a maxi-height dishwasher that offers the benefit of an increased internal space, which enables crockery with larger dimensions to be easily loaded. New for 2009-2010 is a triple A rated fully integrated 45cm model, the DI410C.

5kg → 6kg → 7kg

Laundry

The laundry products in the Cucina Selection are moving to models with larger load capacities, starting with the integrated models. The washer/dryer moves from a 5kg washing and 2.5kg drying capacity, to 6kg washing and 4kg drying, while the washing machine moves from a 5kg to an impressive 7kg wash load capacity.



Sinks & Taps

Cucina sinks are manufactured in high grade stainless steel with an impressive bowl depth of 190mm. They are all reversible, and are available in single bowl single drainer, or one and a half bowl single drainer versions. Cucina taps are produced with a sleek chrome finish in either a single lever or dual flow mixer tap design to perfectly harmonize with Smeg sinks. A variety of sink accessories in the main range can also be purchased to complement the Cucina sinks.

DO4SS-5

60CM ELECTRIC MULTIFUNCTION DOUBLE OVEN, ST/STEEL
ENERGY EFFICIENCY CLASS AA




Energy rating A
4 functions lower main oven



Electronic clock/programmer
Tangential cooling system
Triple glazed removable door
Oven capacity: 51 litres
Forced air convection: 0.79kW/h

Energy rating A
4 functions upper auxiliary oven



Variable grill
Air cooling system
Triple glazed removable door
Oven capacity: 35 litres
Conventional: 0.59kW/h

Nominal power: 5.90 kW
30 Amp power supply required


STANDARD ACCESSORIES:

Roasting/grill pan
Chrome shelf
Grill mesh
Grill handle
Roof liner

OPTIONAL EXTRAS
Stay clean liners for main oven **3797**

MODELS AVAILABLE
St/Steel
Black

DO4SS-5
DO4BL-5



DOUBLE OVENS

DO4BL-5

60CM ELECTRIC MULTIFUNCTION DOUBLE OVEN, BLACK
ENERGY EFFICIENCY CLASS AA



DO4SS-5

DUCO4SS

60CM DOUBLE UNDER COUNTER ELECTRIC
MULTIFUNCTION OVEN, ST/STEEL
ENERGY EFFICIENCY CLASS AA




Energy rating A
4 functions lower main oven



Electronic clock/programmer
Tangential cooling system
Triple glazed removable door
Removable inner door glasses
Oven capacity: 51 litres
Forced air convection: 0.79 kW/h

Energy rating A
4 functions upper auxiliary oven



Variable grill
Air cooling system
Triple glazed removable door
Removable inner door glasses
Oven capacity: 29 litres
Conventional: 0.59kW/h

Nominal power: 5.50 kW
30 Amp power supply required

STANDARD ACCESSORIES:
2 x roasting/grill pan
Grill mesh
Grill handle
2 x chrome shelves

OPTIONAL EXTRA
Stay clean liners for main oven **3797**

FME20EX3


MICROWAVE OVEN, FINGER-FRIENDLY
STAINLESS STEEL




5 power levels
Microwave output power 850W
Quartz grill (1.0kW)
Oven capacity: 20 litres

Dimensions without frame:
340mm D x 485mm W x 320mm H

Nominal power: 2.75kW
Kit for build-in installation included



DUCO4SS NB: Due to the restricted space remaining beneath the work surface above this oven unit, care must be taken when selecting a hob to ensure it will fit



FME20EX3



DUCO4SS

SCP490X-8

60CM PYROLITIC MULTIFUNCTION OVEN,
FINGER FRIENDLY ST/STEEL
ENERGY EFFICIENCY CLASS A



8 Functions



Electronic programmer
Tangential cooling system
Quadruple glazed removable door
Delay timer
Minute minder
Electronic thermostat with 5° increments
Easy clean enamel interior
4 cooking levels
Removable inner door glass
Pyrolytic cleaning from 1.5h to 3h
ECO pyroclean 1.5h
Rotisserie



Maxi oven capacity: 60 litres
Forced air convection: 0.91 kW/h
Conventional: 0.79 kW/h
Nominal power: 3.00kW
13 Amp power supply required

STANDARD ACCESSORIES:

Roasting/grill pan
2 chrome shelves
Rotisserie kit
Roof liner

OPTIONAL EXTRAS:

Pizza stone with handles **PRTX**
Folding pizza shovel **PALPZ**



SC485X-8

60cm MULTIFUNCTION OVEN,
FINGER FRIENDLY ST/STEEL
ENERGY EFFICIENCY CLASS A



8 functions



Full width grill
Electronic clock/timer
Tangential cooling system
Easy clean enamel interior
4 cooking levels
Removable inner door glass
Vapor clean programme


Maxi oven capacity: 60 litres
Forced air convection: 0.79 kW/h
Conventional: 0.91 kW/h
Nominal power: 3.00 kW
13 Amp power required

STANDARD ACCESSORIES:
Roasting/grill pan
Chrome shelf
Grill mesh
Roof liner

OPTIONAL EXTRAS:
Pair of fully extractable
telescopic guides
Pair of partially extractable
telescopic guides
Catalytic liners
Pizza stone with handles
Folding pizza shovel

GT1T

**GT1P
PC60
PRTX
PALPZ**



SC485N-8

60cm MULTIFUNCTION OVEN,
BLACK
ENERGY EFFICIENCY CLASS A



Specification is the same as SC485X-8,
but in black.

SC436X-8

60cm FAN OVEN,
FINGER FRIENDLY ST/STEEL
ENERGY EFFICIENCY CLASS A



6 functions



Full or half width grill
Fan with grill
Minute minder with automatic switch off
Tangential cooling system
Easy clean enamel interior
4 cooking levels
Removable inner door glass

Maxi oven capacity: 60 litres
Forced air convection: 0.79 kW/h
Nominal power: 3.00 kW
13 Amp power required



STANDARD ACCESSORIES:
Roasting/grill pan
Chrome shelf
Grill mesh
Roof liner

OPTIONAL EXTRAS:
Pizza stone with handles
Folding pizza shovel

**PRTX
PALPZ**

MODELS AVAILABLE
St/steel
Black

**SC436X-8
SC436N-8**



SC436N-8

SRV596-5
90CM GAS HOB, ST/STEEL



5 burners
Rear left: 3.10 kW
Front left: 1.05 kW
Centre: Ultra-rapid 3-way burner: 5.00 kW
(3.90 + 1.10kW)
Rear right: 1.65 kW
Front right: 1.65 kW

St/Steel base
Black controls
Enamelled pan stands
Black burner caps

Automatic electronic ignition
Safety valves
Adaptable for LPG

Nominal power: 11.55 kW
Total connected load: < 1.00 kW

SE706S3
70CM GAS HOB, ST/STEEL





5 burners
Rear left: 2.55 kW
Front left: 1.05 kW
Centre: 3.90 kW
Rear right: 1.65 kW
Front right: 1.65 kW

St/Steel base
Black controls
Enamelled pan stands
Black burner caps

Automatic electronic ignition
Safety valves
Adaptable for LPG

Nominal power: 11.00 kW
Total connected load: < 1.0 kW

MODELS AVAILABLE
St/steel with black pan stands and black controls **SE706S3**
St/steel with black pan stands and st/steel controls **SE706SX3**



SER64SNX3
60CM GAS HOB, ST/STEEL



4 burners
Rear left: 1.65 kW
Front left: 4.05 kW Ultra-rapid triple flame burner
Rear right: 1.65 kW
Front right: 1.05 kW

St/Steel base
St/Steel controls
Enamelled pan stands
Black burner caps

Automatic electronic ignition
Safety valves
Adaptable for LPG

Nominal power: 8.04 kW
Total connected load: c. 0.54 kW

MODELS AVAILABLE
St/steel with ultra rapid burner and safety valves **SER64SNX3**
St/steel with safety valves **SE64SNX3**
Black with safety valves **SE64SNE3**
St/steel no safety valves **SE64NX3***
Black no safety valves **SE64NE3***

* NB: Please note that gas hobs without safety valves can only be installed in single use dwellings. Care should be taken when ordering gas hobs for multi-use dwellings to ensure a model with safety valves is selected.

Hobs with no safety valves are no longer in production and will only be available whilst stocks last.

SE64SNX3
60CM GAS HOB, ST/STEEL




4 burners
Rear left: 1.65 kW
Front left: 3.10 kW
Rear right: 1.65 kW
Front right: 1.05 kW

St/steel base
St/steel controls
Enamelled pan stands
Black burner caps


Automatic electronic ignition
Safety valves
Adaptable for LPG

Nominal power: 7.55kW
Total connected load: c.0.54



SE644ID1

60CM TOUCH CONTROL INDUCTION HOB
WITH ANGLED EDGE GLASS




4 full power induction zones
Front left: ø 160mm (minimum 90mm)
1.40 kW
Rear left: ø 200mm (minimum 120mm)
2.30 kW
Rear right: ø 160mm (minimum 90mm)
1.40 kW
Front right: ø 200mm (minimum 120mm)
2.30 kW

"Suprema" black ceramic glass
Electronic timer which can be used
with all zones
Residual heat indicators
Child safety lock

Nominal power 7.40 kW
30 Amp power supply required


NB: Only pans with a ferrous (magnetic)
base are suitable for induction hobs



SE644ID1

SE2640TC1

60CM TOUCH CONTROL CERAMIC HOB
WITH ANGLED EDGE GLASS




4 "High-light" radiant cooking zones
Rear left: ø 140mm, 1.20 kW
Front left: ø 180mm, 1.80 kW
Rear right: ø 195mm, 2.00 kW
Front right: ø 140mm, 1.20 kW

"Suprema" black ceramic glass
Residual heat indicators
Automatic safety cut-out
Front control panel
Child safety lock

Nominal power: 6.20 kW
30 Amp power supply required

SE660X1


60CM CERAMIC HOB WITH ANGLED
EDGE GLASS



4 "High-light" radiant cooking zones
Rear left: ø 140mm, 1.20 kW
Front left: ø 180mm, 1.80 kW
Rear right: ø 180mm, 1.80 kW
Front right: ø 140mm, 1.20 kW

Front stainless steel controls to match
Cucina ovens
"Suprema" black ceramic glass
Residual heat indicators
Automatic safety cut-out
Child safety lock

Nominal power: 6.00kW
30 Amp power supply required



SE2640TC1
SE660X1



SE660X1


SE32X
30CM ELECTRIC HOB,
ST/STEEL



2 plate electric hob
Rear fast plate: ø 180mm, 2.00 kW
Front fast plate: ø 145mm, 1.50 kW

Nominal power: 3.50 kW
30 Amp power supply required

SE435X-1
60CM ELECTRIC HOB, ST/STEEL




4 plate electric hob
2 fast plates
Rear left: ø 145mm, 1.50 kW
Front left: ø 180mm, 1.50 kW
Rear right: ø 180mm, 2.00 kW
Front right: ø 145mm, 1.00 kW


Nominal power 6.00kW
30 Amp power supply required

MODELS AVAILABLE:
St/steel **SE435X-1**
Black **SE435NE-1**

SE435NE-1
60CM ELECTRIC HOB, BLACK



SE435X-1
SE435NE-1



SE32X

CC92MFX6
90CM COOKER WITH DOUBLE OVEN AND
GAS HOB
ENERGY EFFICIENCY CLASS AA



MAIN OVEN:
Energy rating A
5 functions



57 litres
Digital electronic clock/programmer
Tangential cooling system
Double glazed thermo-reflecting door
Conventional: 0.79kW/h
Forced air convection: 1.02kW/h

AUXILIARY OVEN:
Energy rating A
4 functions



27 litres
Variable grill
Tangential cooling system
Double glazed thermo-reflecting door
Conventional: 0.59kW/h


HOB:
5 burner gas hob
Rear left: 1.75kW
Front left: Rapid 3.0kW
Centre: Ultra rapid 3.5kW
Rear right: 1.75kW
Front right: 1.00 kW
Automatic ignition
Safety valves
Enamelled pan stands
Adaptable for LPG

Nominal power: 4.40 kW
30 Amp power supply required

STANDARD ACCESSORIES:

MAIN OVEN:
Roasting/grill pan
Chrome shelf
Non-stick tray
Grill mesh
Grill pan handle

AUXILIARY OVEN:
Roasting/grill pan
Grill mesh
Chrome shelf



KI90C

90CM ISLAND HOOD, ST/STEEL



1 High performance motor
3 Speeds
Aluminium grease filter
Internal re-circulation possible
Vent outlet ø 120mm
Nominal power: 310W

Extraction rates:
Ducted 700m³/h
Re-circulated 650 m³/h

Noise level: 48db

OPTIONAL EXTRAS:

Charcoal filter **KITFC41**
Comprehensive ducting kit **SP217**

KSE91X

90CM CHIMNEY HOOD, ST/STEEL



1 High performance motor, 115W
3 Speeds
3 Grease filters (dishwasher safe)
Upper section glass aesthetic
Internal re-circulation possible
Vent outlet: ø 150mm
Nominal power: 195W

Extraction Rates:
Ducted 450m³/h
Recirculated 400m³/h



Noise Level: 44db

OPTIONAL EXTRAS:

Charcoal filter **KIT1C**
Simple ducting kit **SP150**
Comprehensive ducting kit **SP150FLAT**

MODELS AVAILABLE

90cm width **KSE91X**
70cm width (2 filters) **KSE71X**
60cm width (2 filters) **KSE61X**



KSE91X

Hoods

KSED92X

90CM CHIMNEY HOOD, ST/STEEL




1 High performance motor, 195W
3 speeds
3 metal grease filters
Internal re-circulation possible
Vent outlet: \varnothing 120mm
Nominal power 275W

Extraction rates:
Ducted 450m³/h
Recirculated 400m³/h

Noise Level: 42db (A)

OPTIONAL EXTRAS:
Charcoal filter **FLT2**
Simple ducting kit **SP215**
Comprehensive ducting kit **SP217**



KSED62X

60CM CHIMNEY HOOD, ST/STEEL




1 High performance motor, 195W
3 Speeds
2 Metal grease filters
Internal re-circulation possible
Vent outlet: \varnothing 120mm
Nominal power 275W

Extraction rates:
Ducted 450m³/h
Recirculated 400m³/h

Noise Level: 40db (A)

OPTIONAL EXTRAS:
Charcoal filter **FLT2**
Simple ducting kit **SP215**
Comprehensive ducting kit **SP217**

MODELS AVAILABLE
60cm width **KSED62X**
70cm width **KSED72X**



KSET61

60CM TELESCOPIC HOOD, ST/STEEL EFFECT




1 high performance motor, 160W
3 speeds
2 metal grease filters
Internal recirculation possible
Vent outlet \varnothing 120mm
Nominal power 240W

Extraction rates:
Ducted 380 m³/h
Recirculated 340 m³/h

Noise Level 46dB (A), max speed

OPTIONAL EXTRAS:
Charcoal filter **KITC3C**
Simple ducting kit **SP215**
Comprehensive ducting kit **SP217**



KSEI61S

60CM INTEGRATED HOOD




1 high performance motor, 140W
Variable speed control
1 metal grease filter
Internal re-circulation possible
Vent outlet \varnothing 120mm
Nominal power 220W

Extraction rates:
Ducted 350m³/h
Recirculated 300m³/h

Noise level: 49dB

OPTIONAL EXTRAS:
Charcoal filter **KITFC29**
Simple ducting kit **SP215**
Comprehensive ducting kit **SP217**



KSEC61X

60CM STANDARD HOOD




1 high performance motor, 125W
3 speeds
2 Metal grease filters
Internal re-circulation possible
Vent outlet \varnothing 120mm
Nominal power 205W

Extraction rates:
Ducted 260 m³/h
Recirculation 220 m³/h

Noise level: 44 dB(A) , max speed

OPTIONAL EXTRAS:
Charcoal filter **KITC2R**
Simple ducting kit **SP215**
Comprehensive ducting kit **SP217**

MODELS AVAILABLE
St/steel **KSEC61X**
Black **KSEC61NE**



KSEG50

52CM CANOPY HOOD




1 high performance motor, 120W
Variable speed control
1 metal grease filter (dishwasher safe)
Internal re-circulation possible
Vent outlet \varnothing 120mm
Nominal power 160W

Extraction rates:
Ducted 450 m³/h
Recirculated 420 m³/h

Noise level: 55dB

OPTIONAL EXTRAS:
Charcoal filter **KITFC30**
Simple ducting kit **SP215**
Comprehensive ducting kit **SP217**



CR325APL

INTEGRATED IN COLUMN COMBINED REFRIGERATOR
& FREEZER
ENERGY EFFICIENCY CLASS A+



Gross capacity: 281 litres
Tropicalized compressor
Reversible doors
Sliding rail fitting

REFRIGERATOR


Fresh food capacity: 198 litres
4 adjustable glass shelves
Glass fruit and vegetable cover
2 fruit and vegetable storage containers
Comprehensive door storage

FREEZER

Frozen capacity: 65 litres
3 drawers
Ice cube tray
Fast freeze compartment

Energy efficiency class: A+
Energy consumption: 270 kW/h per year
Climatic class: SN-ST
Freezing capacity: 6kg/24h
Thaw time: 19 h

Nominal Power: 1.4kW



CR5050A7

INTEGRATED IN COLUMN COMBINED REFRIGERATOR
& FREEZER
ENERGY EFFICIENCY CLASS A



Gross capacity: 273 litres
Reversible doors
Sliding rail fitting

REFRIGERATOR:


Fresh food capacity: 159 litres
3 adjustable glass shelves
Glass fruit and vegetable cover
2 fruit and vegetable storage containers
Comprehensive door storage

FREEZER

Frozen capacity: 95 litres
4 drawers
Ice cube tray

Energy efficiency class: A
Energy consumption: 321 kW/h per year
Climatic class: SN
Freezing capacity: 8kg/24h
Thaw time: 19 h

Nominal Power: 1.4kW



CR325APL

UKFL164A

INTEGRATED IN COLUMN LARDER REFRIGERATOR
ENERGY EFFICIENCY CLASS A




Gross capacity: 146 Litres
Reversible door

Fresh food capacity: 145 litres
Automatic defrost
3 adjustable glass shelves
1 fixed glass shelf
2 fruit & vegetable containers
Door shelves, inc. egg containers

Possible combination with UKVI144A freezer

Energy efficiency class: A
Energy consumption: 142 kW/h per year
Climatic class: ST

Nominal power: 0.50kW



UKVI144A

INTEGRATED IN COLUMN FREEZER
ENERGY EFFICIENCY CLASS A




Gross capacity: 116 litres
4 star rating **★★★★**
Reversible door

Frozen food capacity: 98 litres
3 full size drawers
1 fast freeze compartment

Possible combination with UKFL164A larder refrigerator

Energy efficiency class: A
Energy consumption: 288kW/h per year
Climatic class: ST
Freezing capacity: 9kg/24h
Thaw time: 21h

Nominal power: 0.80kW



UKFL167A

INTEGRATED IN COLUMN REFRIGERATOR
ENERGY EFFICIENCY CLASS A




Gross capacity: 131 litres
Reversible door

REFRIGERATOR:
Fresh food capacity: 114 litres
Automatic defrost
2 adjustable glass shelves
1 fixed glass shelf
2 vegetable containers
Further door storage

ICE BOX: **★★★★**
Frozen food capacity: 17 litres
Ice cube tray

Energy efficiency class: A
Energy consumption: 215 kW/h per year
Climatic class: ST
Freezing capacity: 2kg/24h
Thaw time: 12h

Nominal power: 0.80kW



FR158B

INTEGRATED UNDERWORKTOP LARDER REFRIGERATOR
ENERGY EFFICIENCY CLASS B



Gross capacity: 139 litres
Reversible door

Fresh food capacity: 123 litres
Automatic defrost
2 Wire shelves
Fruit and vegetable compartment
Further door storage

Energy efficiency class: B
Energy consumption: 201 kW/h per year
Climatic class: ST

Nominal power: 1.0kW

COMING SOON

LF1700C

'A' rated integrated underworktop larder model,
available winter 2009-2010.

VR120B

INTEGRATED UNDERWORKTOP FREEZER
ENERGY EFFICIENCY CLASS B



Gross capacity: 100 litres
4 Star rating **★★★★**
Reversible door

Frozen food capacity: 77 litres
2 Storage drawers
1 Pull down flap
1 shelf for ice-cubes/pizzas
2 Ice cube trays


Energy efficiency class: B
Energy consumption: 285kW/h per year
Climatic class: ST
Freezing capacity: 6kg/24h
Thaw time: 15 hours

Nominal power: 0.90kW

COMING SOON

FR1650C

'A' rated integrated underworktop freezer
model, available winter 2009-2010.



FR158B
VR120B
FR150A

FR150A

INTEGRATED UNDERWORKTOP REFRIGERATOR
ENERGY EFFICIENCY CLASS B




Gross capacity: 116 litres
Reversible door

Fresh food capacity: 79 litres
Automatic defrost
1 Wire shelf
Fruit and vegetable storage compartment
Further door storage

ICE BOX: **★★★★**
Ice Compartment
Frozen capacity: 19 litres

Energy efficiency class: A
Energy consumption: 215kW/h per year
Climatic class: ST

Nominal power: 1.0kW



DD612SCA7

60CM DRAWER LINE DISHWASHER,
FINGER-FRIENDLY ST/STEEL
ENERGY EFFICIENCY CLASS AAB



12 place settings
5 programmes
4 temperatures (45° 55° 65° 70°)


3 Buttons:
On/Off
Programme selection
Start/Pause

Lights:
On/Off
Programme Selection

Orbital spray system
Partial aquastop
Concealed heating element
Maximum plate diameter: 30cm
Average wash time approximately 100 mins
Adjustable water softener
Self balancing door hinges
Graphite baskets

Eco programme EN50242
Water: 17 litres
Energy: 1.05kWh
Energy efficiency: A
Washing performance: A
Drying performance: B
Noise level 53 dB (A) re 1 pW
Nominal power: 1.9kW

Maximum furniture door weight 7.5kg
Minimum furniture door weight 2.5kg



DI612CA9

60CM FULLY INTEGRATED DISHWASHER
ENERGY EFFICIENCY CLASS AAA



12 place settings
5 programmes
4 temperatures (45° 55° 65° 70°)


2 Buttons:
On/Off
Programme selection

Lights:
Programme Selection

Orbital spray system
Partial aquastop
Concealed heating element
Maximum plate diameter: 30cm
Average wash time approximately 100 mins
Adjustable water softener
Self balancing door hinges
Graphite baskets

Eco programme EN50242
Water: 17 litres
Energy: 1.05kWh
Energy efficiency: A
Washing performance: A
Drying performance: A
Noise level 53 dB (A) re 1 pW
Nominal power: 1.9kW

Maximum furniture door weight 7.5kg
Minimum furniture door weight 2.5kg



DI612CAH

60CM FULLY INTEGRATED MAXI-HEIGHT DISHWASHER
ENERGY EFFICIENCY CLASS AAB



12 place settings
5 programmes
4 temperatures (45° 55° 65° 70°)


2 Buttons:
On/Off
Programme selection

Lights:
Programme Selection

Orbital spray system
Partial aquastop
Concealed heating element
Maximum plate diameter: 35cm
Average wash time approximately 100 mins
Adjustable water softener
Self balancing door hinges
3 position upper basket
Graphite baskets

Eco programme EN50242
Water: 17 litres
Energy: 1.05kWh
Energy efficiency: A
Washing performance: A
Drying performance: B
Noise level 53 dB (A) re 1 pW
Nominal power: 1.9kW

Maximum furniture door weight 7.5kg
Minimum furniture door weight 2.5kg



DI607C

60CM FULLY INTEGRATED HORIZONTAL DISHWASHER
ENERGY EFFICIENCY CLASS AAA




7 place settings
10 programmes, inc. rapid power wash
5 temperatures (38° 45° 55° 65° 70°)

5 Buttons:
On/Off
Programme selection
Delay Timer 9h
Selector for multi action tablets
Additional programmes

Lights:
Salt
Rinse aid

Orbital spray system
Total aquastop
Concealed heating element
Maximum plate diameter: 32cm
Average wash time approximately 100 mins
Adjustable water softener
Self balancing door hinges
Graphite basket with anti-drip device
St/steel filter

Eco programme EN50242
Water: 10 litres
Energy: 0.69kWh
Energy efficiency: A
Washing performance: A
Drying performance: A
Noise level 46 dB (A) re 1 pW
Nominal power: 1.9kW



DI607C

DI410C

45CM FULLY INTEGRATED DISHWASHER
ENERGY EFFICIENCY CLASS AAA



10 place settings
5 programmes
4 temperatures (45° 55° 65° 70°)


2 Buttons:
On/Off
Programme selection

Lights:
Salt
Rinse aid

Shuttle spray system
Partial aquastop with double hose
Concealed heating elements
Maximum plate diameter: 30cm
Average wash time approximately 100 mins
Adjustable water softener
Self balancing door hinges
Graphite baskets
St/steel filter

Eco programme EN50242
Water: 13 litres
Energy: 1.01 kWh
Energy efficiency: A
Washing performance: A
Drying performance: A
Noise level 50 dB(A) re 1 pW
Nominal power: 1.9kW

Maximum furniture door weight 7.5kg
Minimum furniture door weight 2.5kg



DI410C



WDF12C

FREE-STANDING WASHER/DRYER, WHITE
ENERGY EFFICIENCY CLASS CA




Electronic display panel
5 buttons: start/pause, rapid wash, drying, spin speed, delay timer
On/off & Programme control
Door opening release

14 washing programmes including new Quickwash at 30°, plus 3 options: rapid wash and delay timer and drying
Variable spin speed up to 1200rpm
Rinse hold
Max washing capacity: 5kg dry washing
Max drying capacity: 2.5kg
Condenser drying
St/steel drum and tank
Extra large 300mm porthole
Door safety lock
Self cleaning pump and filter
Adjustable feet
Total Aquastop

Consumption:
For washing only: 47 litres; energy: 0.95kW/h
For complete 5kg wash + 2 sessions of 2.5kg drying: Water 95 litres, energy 4.65kW/h
Nominal power: 2.30kW

Energy efficiency class: C
Washing performance: A



WDI12C1

FULLY INTEGRATED WASHER/DRYER
ENERGY EFFICIENCY CLASS CA



Electronic display panel
5 buttons: start/pause, rapid wash, drying, spin speed, delay timer
On/off & Programme control
Door opening release


14 washing programmes including new Quickwash at 30°, plus 3 options: rapid wash and delay timer and drying
Variable spin speed up to 1200rpm
Rinse hold
Max washing capacity: 5kg dry washing
Max drying capacity: 2.5kg
Condenser drying
St/steel drum and tank
Extra large 300mm porthole
Door safety lock
Self cleaning pump and filter
Furniture door can be hinged left or right
Adjustable feet
Total Aquastop

Consumption:
For washing only: 47 litres; energy: 0.95kW/h
For complete 5kg wash + 2 sessions of 2.5kg drying: Water 95 litres, energy 4.65kW/h
Nominal power: 2.30kW

Energy efficiency class: C
Washing performance: A

COMING SOON
WDI12C6

Fully integrated washer/dryer, 6kg washing load, 4kg drying load, energy rating BA, available from Spring 2010



WMI12C

FULLY INTEGRATED WASHING MACHINE
ENERGY EFFICIENCY CLASS AAB



4 buttons: start/pause, rapid wash, easy iron, spin speed
On/off & Programme control
Door opening release

15 washing programmes; plus 3 options; rapid wash, easy iron, spin speed selector
Rinse hold
Variable spin speed up to 1200rpm
Max washing capacity: 5kg dry washing
St/steel drum and tank
Extra large 300mm porthole
Door safety lock
Self cleaning pump and filter
Furniture door can be hinged left or right
Adjustable feet
Total Aquastop

Consumption:
Water: 47 litres
Energy: 0.95kW/h
Nominal power: 2.30kW

Energy efficiency; A
Washing performance; A
Spin drying performance; B

COMING SOON
WMI12C7

Fully integrated washing machine, 7kg washing load, energy rating AAB, available from Spring 2010

CUR150

1.5 BOWL SINGLE DRAINER REVERSIBLE ST/STEEL INSET SINK



1.5 bowl single drainer inset sink
Bowl depth: 1x190mm 1x130mm
Bowl width: 1x340mm 1x 165mm
Drain: 2x3.5"

STANDARD ACCESSORIES:
Overflow
Drain
Gaskets
Fixing Clips
Dishwasher Drain Tap



CUR100

SINGLE BOWL SINGLE DRAINER REVERSIBLE ST/STEEL INSET SINK



Single bowl single drainer inset sink
Bowl depth: 1x190mm
Bowl width: 1x340mm
Drain: 2x3.5"

STANDARD ACCESSORIES:
Overflow
Drain
Gaskets
Fixing Clips
Dishwasher Drain Tap



PALERMO

SINGLE LEVER MIXER TAP





Single lever mixer
Chrome finish
Swivel spout
Aerator
Ceramic disc cartridge
Braided stainless steel connection hoses

RIMINI-2

DUAL FLOW MIXER TAP



Dual flow mixer
Chrome finish
Swivel spout
Spout with anti-splash
Quarter turn ceramic disc valve
Copper connection tails



UPPER AND LOWER ELEMENT ONLY:
This method is known as "conventional" cooking, and is suitable for dishes that require a more gentle heat, such as baking. The oven needs to be pre-heated to the required temperature, and is best suited for single items, such as large cakes e.g. Christmas cake. Best results are obtained by placing food in the centre of the oven.

LOWER HEATING ELEMENT ONLY:
This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza.

GRILL ELEMENT:
This allows rapid cooking and browning of foods. Best results can be obtained from using the top shelf for small items, the lower shelves for larger items, such as chops or sausages. Cooking using this method should be carried out with the door closed, unless instructed to do otherwise.

HALF GRILL:
Heat is generated only at the centre of the element, so ideal for smaller quantities.

FAN WITH UPPER AND LOWER ELEMENTS:
The elements combined with the fan aim to provide more uniform heat. This is a similar method to conventional cooking, so pre-heat is required. This is not as effective as circulaire cooking but can also be used to cook biscuits and pastry.

FAN WITH HALF GRILL ELEMENT:
Please note: cooking in this mode is conducted with the door closed. Ideal for grilling small items whilst also circulating the residual hot air around the oven cavity.

FAN WITH LOWER ELEMENT:
This combination completes cooking more quickly of foods that are ready on the surface, but require more cooking inside, without further browning. Suitable for any type of food.

CIRCULAIRE:
The combination of the fan and the circular element around it gives uniform heat distribution with no cold spots. This results in many benefits - no preheat if cook time is more than 20 minutes, no flavour, transfer when cooking different foods at the same time, less energy is needed, and it cooks at 10% quicker than a normal oven. All foods can be cooked on this function, and it is especially suitable for cooked chilled foods.

CIRCULAIRE WITH UPPER AND LOWER ELEMENTS:
The use of the fan with both elements allows food to be cooked quickly and effectively on a number of shelves. Ideal for roasts and large joints that require thorough cooking. There is no transference of smells or flavours when using this function. This function offers a similar result to rotisserie, it moves the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked, and not only items that will fit onto a rotisserie.

FAN WITH GRILL ELEMENT:
Please note: cooking in this mode is conducted with the door closed. The fan reduces the fierce heat from the grill, providing an excellent method for grilling a range of foods, chops, steaks, sausages etc. without having to turn the food during cooking. This gives good results, reduces drying out of foods, and gives even browning and heat distribution, the top two shelves being recommended for use. The lower area of the cavity can also be used to keep other items warm at the same time. An excellent facility to use when cooking a grilled breakfast.

This symbol indicates that during pyrolytic cleaning the outer door glass will become no hotter than 55°C.



The Energy Savings Trust only recommends products with the best energy efficiency ratings within the category.

DEFROST:
Both symbols refer to the same function. The circulation of air at room temperature enables quicker thawing of frozen food, (without the use of any heat). Ideal for use prior to cooking of ready-made dishes, or cream filled products etc.

FAN:
The circular heating element can be operated with the fan, using the thermostat.

SNOWFLAKE:
With the switch on this symbol, no heating is possible even if the thermostat is turned.

Eco
The Eco setting is a fast preheat function, which combines grill, fan and lower element to achieve optimum energy efficiency. Only to be used prior to selecting the main cook function for a fast preheat.

P Pyrolytic cleaning at 500°C destroys all the dirt deposits inside the oven.
Eco P The Eco pyrolytic cleaning function can be selected when the oven has a lighter build up of dirt. This function has a maximum duration of 1.5 hours.

ROTISSERIE:
The rotisserie (where installed) works in combination with the grill element to brown foods to perfection.

These symbols allow use of the rotisserie with full or half grill.



VAPOR CLEAN
A combination of water and washing up liquid placed in the bottom of the oven is heated gently, allowing 'vapor' to enhance cleaning of the cavity.

Oven with 60 litre maxi cavity has 18% more usable space than previous models.

Quality and Environmental Management Systems

All Smeg factories are ISO9001 and ISO14001 certified, ensuring that the highest standards of quality are continually maintained whilst actively responding to all environmental issues relating to manufacture. The materials and components used to produce Smeg products undergo strict quality control testing, and care is taken to source recyclable materials wherever possible. These management systems enable Smeg to provide complete assurance that all products meet superior standards whilst respecting the environment.





Smeg (UK) Limited

3 Milton Park, Abingdon
Oxon OX14 4RN
www.smeguk.com

Information line

Tel. 0844 5579907 Fax. 0844 5579337

Trade enquiries

Tel. 0844 5570070 Fax. 0844 5574355

Service & Spare Parts

Tel. 0844 5579907 Fax. 0844 5579336