

GAS HOBS

STATE OF THE ART TECHNOLOGY AND SOPHISTICATED STYLING ARE PRINCIPLES FOUND IN ALL SMEG PRODUCTS, INCLUDING ITS HOBS. SMEG OFFERS A COMPREHENSIVE RANGE OF HOBS THAT MATCH THE OVENS PERFECTLY, WITH A WIDE CHOICE OF COLOURS AND MODELS.



Evolution Polished stainless steel and mirror glass

The Smeg evolution range features hobs in polished stainless steel on a mirror glass base in 60cm and 70cm widths. Beautifully designed polished stainless steel burners together with a sleek reflective glass base give a practical and hygienic cooking surface with superb style.



Linea Simple symmetry with innovative design

Extending the Linea range are some exciting models featuring illuminated controls which are not only ergonomically designed but perfectly coordinate with our range of Linea ovens. The innovative controls are illuminated when the burner is active. The unique feature creates a visual gas safety system. If a burner is accidentally extinguished a safety valve will turn off the gas supply and the control light will also be turned off. With removable cast iron pan stands for each burner these new style of hobs add versatility and originality to an already esteemed range.



Classic
Comprehensive selection in brushed stainless steel

The Classic range of hobs includes 30cm, 60cm, 70cm and 90cm models. The burners on the 60cm versions are arranged in a versatile diamond configuration with front controls and a choice of pan stand either stainless steel, cast iron, or enamel. There is also an impressive 90cm 6 burner hob which fits directly on to the carcass in place of a worktop.



Modular Hobs

The "Classic" range also includes five 31cm wide modular hobs, offering varying functions, which are all available in an ultra low profile version. Modular hobs can be fitted individually or it is possible to install a combination using connecting strips.



Linea “Suspended” pan stands

Hobs in the Linea range reflect the simple symmetrical design of the ovens, and many feature directional burners beneath ‘suspended’ pan stands. This innovative style of pan stands allows the total width and depth of the hob to be used for placing pans, either above the burners to cook, or set aside to cool.



Directional burners

The directional flame is almost vertical; real power is transferred to the pot as the flames spread to match the diameter of the underside of the pan. This feature causes the heat to concentrate, resulting in a high performance burner that cooks rapidly - faster than a traditional gas burner.

Ultra Rapid Burners

Many Smeg hobs include ultra rapid burners, which respond very quickly, and are ideal for wok cooking. These powerful burners offer up to 5kW of power, and are one of three designs: a triple flame burner with a single control, a dual flame burner with a single control, or a dual flame 3-way burner. This last type is composed of an auxiliary and a rapid burner, together capable of generating more than 4kW of power. Two control knobs allow both parts of the burner to work together, or they can be used independently.



Safety Valves

Safety valves are fitted on all hobs throughout this brochure. Valves on the burner cut off the gas flow if the flame is accidentally extinguished. In this event, the gas feeder valve shuts off immediately, regardless of the position of the control knob.



Flush-fit and ultra low profile

The Ultimate in professional styling, flush-fitted or ultra low profile hobs are available in both the Classic and Linea ranges. The Ultra low profile base lies a mere 4mm above the work surface, and a completely flat surface is achieved with the flush-fitted versions.

Stainless Steel Pan Stands

When exposed to a direct flame all stainless steel will tarnish, however using the appropriate cleansing agents will virtually restore its original appearance.



PTS727-5

PTV705

72CM GAS HOB, POLISHED ST/STEEL ON
MIRROR GLASS BASE



5 burners

Rear left: 2.3kW

Front left: 1.0kW

Centre: rapid burner 3.0kW

Rear right: 1.65kW

Front right: 1.0kW

Frameless mirror finish glass base

St/steel controls


St/steel pan stands

St/steel burner caps

Automatic electronic ignition

Safety valves

Adaptable for LPG



PTV64

60CM GAS HOB, POLISHED ST/STEEL ON
MIRROR GLASS BASE



4 burners

Rear left: 2.3kW

Front left: 1.65kW

Rear right: Rapid burner 3.0kW

Front right: 1.0kW

Frameless mirror finish glass base

St/steel controls


St/steel pan stands

St/steel burner caps

Automatic electronic ignition

Safety valves

Adaptable for LPG





PTV64

PX140

100CM "LINEA SERIES" ULTRA LOW PROFILE GAS HOB,
ST/STEEL



4 burners
Left Ultra-rapid burner 4.20kW
Centre Left: 1.05kW
Centre Right: 1.70kW
Right: 3.10kW

St/steel ultra low profile base
Illuminated control knobs
Removable cast iron pan stands

Automatic electronic ignition
Safety valves
Adaptable for LPG

NB: Depth of hob c. 6cm

PVA140

100CM "LINEA SERIES" ULTRA LOW PROFILE GAS HOB,
GRAPHITE GLASS





4 burners
Left Ultra-rapid burner 4.20kW
Centre Left: 1.05kW
Centre Right: 1.70kW
Right: 3.10kW

Graphite glass ultra low profile base
Illuminated control knobs
Removable cast iron pan stands

Automatic electronic ignition
Safety valves
Adaptable for LPG

NB: Depth of hob c. 6cm





PX140

PVA750

74CM "LINEA SERIES" ULTRA LOW PROFILE GAS HOB,
GRAPHITE GLASS



5 burners
Rear left: 1.70kW
Front left: 1.05kW
Centre Ultra-rapid burner: 5kW
Rear right: 3.10kW
Front right: 1.70kW

Finger-friendly graphite base
Illuminated control knobs
Removable cast iron pan stands

Automatic electronic ignition
Safety valves
Adaptable for LPG

NB: Depth of hob c. 6cm

PVS750

74CM "LINEA SERIES" ULTRA LOW PROFILE GAS HOB,
SILVER GLASS





5 burners
Rear left: 1.70kW
Front left: 1.05kW
Centre Ultra-rapid burner: 5kW
Rear right: 3.10kW
Front right: 1.70kW

Silver glass base
Illuminated control knobs
Removable cast iron pan stands

Automatic electronic ignition
Safety valves
Adaptable for LPG

NB: Depth of hob c. 6cm





PVA750

PTS726-5

72CM "LINEA SERIES" GAS HOB, ST/STEEL



5 burners

Rear left: 1.70kW

Front left: 1.05kW

Centre: Ultra-rapid 3-way burner (3.30 + 0.90): 4.20kW

Rear right: 2.90kW

Front right: 1.70kW

St/steel base

Transparent controls

Heavy duty cast iron pan stands

Automatic electronic ignition

Safety valves

Adaptable for LPG

AVAILABLE IN THE FOLLOWING VERSIONS:


All St/steel

PTS726-5

With black front panel

PTS726NE5

PTS726NE5



PTS727-5

72CM "LINEA SERIES" GAS HOB, ST/STEEL



5 burners

Left: ultra rapid dual flame 3-way burner (4.60+0.4):
5.00 kW

Rear centre: 1.70kW

Front centre: 1.05kW

Rear right: 2.90kW

Front right: 1.05kW

St/steel base


Transparent controls

Heavy duty cast iron pan stands

Automatic electronic ignition

Safety valves

Adaptable for LPG



PTS605-3

60CM "LINEA SERIES" GAS HOB, ST/STEEL



4 burners in "diamond" configuration

Left: Ultra-rapid 4.20kW

Rear: 1.70kW

Front: 1.05kW

Right: 3.10kW

St/steel base

St/steel front panel

Transparent controls

Heavy duty cast iron pan stands

Automatic electronic ignition

Safety valves

Adaptable for LPG

AVAILABLE IN THE FOLLOWING VERSIONS:

All St/steel


PTS605-3

With black front panel

PTS605NE3



PTS605NE3





PTS605-3

PGF95FSC3

90CM "LINEA SERIES" FLUSH-FITTED GAS HOB, ST/STEEL



5 burners
Rear left: 1.8kW
Front left: 1.8kW
Centre: Ultra-rapid burner 4kW
Rear right: 1.8kW
Front right: 1.05kW

St/steel flush base
Transparent controls
Heavy duty cast iron pan stands
Black burner caps

Automatic electronic ignition
Safety valves
Adaptable for LPG

NB: Depth of hob c. 7.1cm

PGF95SC3

90CM "LINEA SERIES" ULTRA LOW PROFILE GAS HOB, ST/STEEL





5 burners
Rear left: 1.8kW
Front left: 1.8kW
Centre: Ultra-rapid burner 4kW
Rear right: 1.8kW
Front right: 1.05kW

St/steel ultra low profile base
Transparent controls
Heavy duty cast iron pan stands
Black burner caps

Automatic electronic ignition
Safety valves
Adaptable for LPG

NB: Depth of hob c. 7.1cm



In order to achieve the best fit, flush-fitted products must be installed taking absolute care and attention. You are strongly advised to use the cut-out dimensions as a guideline only, and not to attempt to cut the work surface before receiving the product. Smeg cannot be held responsible for inaccurate fitting resulting from failure to follow this advice.

PGF75FSC3

70CM "LINEA SERIES" FLUSH FITTED GAS HOB, ST/STEEL




5 burners
Rear left: 1.8kW
Front left: 1.05kW
Centre: Ultra-rapid burner 4kW
Rear right: 1.8kW
Front right: 1.05kW

St/steel flush base
Transparent controls
Heavy duty cast iron pan stands
Black burner caps

Automatic electronic ignition
Safety valves
Adaptable for LPG

NB: Depth of hob c. 7.1cm



In order to achieve the best fit, flush-fitted products must be installed taking absolute care and attention. You are strongly advised to use the cut-out dimensions as a guideline only, and not to attempt to cut the work surface before receiving the product. Smeg cannot be held responsible for inaccurate fitting resulting from failure to follow this advice.

PGF75SC3

70CM "LINEA SERIES" ULTRA LOW PROFILE GAS HOB, ST/STEEL




5 burners
Rear left: 1.8kW
Front left: 1.05kW
Centre: Ultra-rapid burner 4kW
Rear right: 1.8kW
Front right: 1.05kW

St/steel ultra low profile base
Transparent controls
Heavy duty cast iron pan stands
Black burner caps

Automatic electronic ignition
Safety valves
Adaptable for LPG

NB: Depth of hob c. 7.1cm



PS906

90CM "CLASSIC" HAND FINISHED GAS HOB IN STAINLESS STEEL



5 burners

Left: Ultra-rapid dual flame 3-way burner 4.65kW
(3.60+0.90kW)

Rear centre: 3.0kW

Front centre: 1.05kW

Rear right: 1.05kW

Front right: 3.0kW

St/steel ultra low profile base

St/steel controls


Heavy duty cast iron pan stands

Black burner caps

Automatic electronic ignition

Safety Valves

Adaptable for LPG





PS906

HB96CSS-3

90CM "CLASSIC" HAND FINISHED GAS HOB IN STAINLESS STEEL



6 burners
Rear left: Ultra-rapid burner 4kW
Front left: 1.8kW
Rear centre: 1.8kW
Front centre: 1.05kW
Rear right: 3.0kW
Front right: Ultra-rapid burner 4kW


St/steel base
St/steel knobs
Heavy duty cast iron pan stands
Black burner caps

Automatic electronic ignition
Safety valves
Adaptable for LPG

OPTIONAL EXTRA:
Tepanjaki grill plate
Cast iron ribbed griddle

**TPKX
GC120**

NB: This hob sits directly on top of the kitchen furniture, replacing the work surface.





HB96CSS-3

PGF95-3

90cm "CLASSIC" ULTRA LOW PROFILE GAS HOB, ST/STEEL




5 burners
Rear left: 1.8kW
Front left: 1.8kW
Centre: Ultra-rapid burner 4kW
Rear right: 1.8kW
Front right: 1.05kW

St/steel ultra low profile base
St/steel controls
Heavy duty cast iron pan stands
Black burner caps

Automatic electronic ignition
Safety valves
Adaptable for LPG
Pan rest incorporated in central pan stand

NB: Depth of hob c. 7.1cm



PGF95F-3

90cm "CLASSIC" FLUSH-FITTED GAS HOB, ST/STEEL




5 burners
Rear left: 1.8kW
Front left: 1.8kW
Centre: Ultra-rapid burner 4kW
Rear right: 1.8kW
Front right: 1.05kW

St/steel flush base
St/steel controls
Heavy duty cast iron pan stands
Black burner caps

Automatic electronic ignition
Safety valves
Adaptable for LPG
Pan rest incorporated in central pan stand

NB: Depth of hob c. 7.1cm



In order to achieve the best fit, flush-fitted products must be installed taking absolute care and attention. You are strongly advised to use the cut-out dimensions as a guideline only, and not to attempt to cut the work surface before receiving the product. Smeg cannot be held responsible for inaccurate fitting resulting from failure to follow this advice.

PGF75-3

70CM "CLASSIC" ULTRA LOW PROFILE GAS HOB, ST/STEEL




5 burners
Rear left: 1.8kW
Front left: 1.05kW
Centre: Ultra-rapid burner 4kW
Rear right: 1.8kW
Front right: 1.05kW

St/steel ultra low profile base
St/steel controls
Heavy duty cast iron pan stands
Black burner caps

Automatic electronic ignition
Safety valves
Adaptable for LPG
Pan rest incorporated in central pan stand

NB: Depth of hob c. 7.1cm



PGF75F-3

70CM "CLASSIC" FLUSH-FITTED GAS HOB, ST/STEEL




5 burners
Rear left: 1.8kW
Front left: 1.05kW
Centre: Ultra-rapid burner 4kW
Rear right: 1.8kW
Front right: 1.05kW

St/steel flush base
St/steel controls
Heavy duty cast iron pan stands
Black burner caps

Automatic electronic ignition
Safety valves
Adaptable for LPG
Pan rest incorporated in central pan stand

NB: Depth of hob c. 7.1cm



In order to achieve the best fit, flush-fitted products must be installed taking absolute care and attention. You are strongly advised to use the cut-out dimensions as a guideline only, and not to attempt to cut the work surface before receiving the product. Smeg cannot be held responsible for inaccurate fitting resulting from failure to follow this advice

PDXF116RS

116CM "MODULAR" FLUSH-FITTED GAS HOB



4 burners
Left: 1.10kW
Centre left: 2.55kW
Centre right: 1.65kW
Right: 1.65kW

St/steel flush base
St/steel controls
Heavy duty cast iron pan stands
Black burner caps

Automatic electronic ignition
Safety valves
Adaptable for LPG

NB: depth of hob c. 7.3cm

PDXS30B-1

31CM "MODULAR" ULTRA LOW PROFILE LAVA STONE GRILL





Cast iron griddle
"Lava rock" supplied

St/steel ultra low profile
base
St/steel control

Nominal power: 1,8kW
13 Amp power supply
required

**NB: depth of hob c. 7.3cm
Front to rear c. 58cm**

OPTIONAL EXTRA:
Connecting strip **LGPDX**



In order to achieve the best fit, products must be installed taking absolute care and attention. You are strongly advised to use the cut-out dimensions as a guideline only, and not attempt to cut the work surface before receiving the product. Smeg cannot be held responsible for inaccurate fitting resulting from failure to follow this advice.

NB: This hob is designed to fit in an island unit or extra deep work surface - it does not fit into a standard 60cm deep worktop.

PDXS30C-1

31cm "MODULAR" ULTRA LOW
PROFILE CERAMIC HOB



2 High-light zones
Front: Ø 1 x 140mm,
1.20kW
Rear: Ø 1 x 180mm,
1.80kW

St/steel ultra low profile
base
St/steel knobs

Nominal power: 3.00kW
13 Amp power supply
required

NB: depth of hob c. 7.3cm
Front to rear c. 58cm

OPTIONAL EXTRA:
Connecting strip **LGPDX**

PDXS30P-1

31cm "MODULAR" ULTRA LOW
PROFILE GAS HOB



2 Burners
Front: 1.05kW
Rear: Fish burner: 1.90kW

St/steel ultra low profile
base
St/steel controls
Heavy duty cast iron pan
stands
Black burner caps

Automatic electronic
ignition
Safety valves
Adaptable for LPG

NB: depth of hob c. 7.3cm
Front to rear c. 58cm

OPTIONAL EXTRA:
Connecting strip **LGPDX**

PDXS30R-1

31cm "MODULAR" ULTRA LOW
PROFILE GAS HOB



2 Burners
Front: 1.05kW
Rear: 2.50kW

St/steel ultra low profile
base
St/steel controls
Heavy duty cast iron pan
stands
Black burner caps

Automatic electronic
ignition
Safety valves
Adaptable for LPG

NB: depth of hob c. 7.3cm
Front to rear c. 58cm

OPTIONAL EXTRA:
Connecting strip **LGPDX**

PDXS30T-1

31cm "MODULAR" ULTRA LOW
PROFILE GAS HOB



1 Burner
Ultra-rapid: 4.00kW


St/steel ultra low profile
base
St/steel control
Heavy duty cast iron pan
stands
Black burner cap

Automatic electronic ignition
Safety valves
Adaptable for LPG

NB: depth of hob c. 7.3cm
Front to rear c. 58cm

OPTIONAL EXTRA:
Connecting strip **LGPDX**

CLASSIC



In order to achieve the best fit, products must be installed taking absolute care and attention. You are strongly advised to use the cut-out dimensions as a guideline only, and not attempt to cut the work surface before receiving the product. Smeg cannot be held responsible for inaccurate fitting resulting from failure to follow this advice.

NB: The hobs on this page are designed to fit in an island unit or extra deep work surface - it does not fit into a standard 60cm deep worktop.

SE70SGH-5

70CM "CLASSIC" GAS HOB, ST/STEEL



5 burners
Rear left: 2.55kW
Front left: 1.05kW
Centre: Ultra-rapid dual flame 3-way burner
4.95kW (3.90+1.05kW)
Rear right: 1.65kW
Front right: 1.65kW

St/steel base
St/steel knobs
Heavy duty cast iron pan stands
Matt black burner caps

Automatic electronic ignition
Safety valves
Adaptable for LPG

OPTIONAL EXTRA:
Cast iron griddle

BB3679

SE70SX-5

70CM "CLASSIC" GAS HOB, ST/STEEL




5 burners
Rear left: 2.55kW
Front left: 1.05kW
Centre: Ultra-rapid dual flame 3-way burner
4.95kW (3.90+1.05kW)
Rear right: 1.65kW
Front right: 1.65kW

St/steel base
St/steel knobs
St/steel pan stands
St/steel burner caps

Automatic electronic ignition
Safety valves
Adaptable for LPG

OPTIONAL EXTRA:
Cast iron griddle

BB3679



SE70S-5

70CM "CLASSIC" GAS HOB, ST/STEEL



5 burners

Rear left: 2.55kW

Front left: 1.05kW

Centre: Ultra-rapid dual flame 3-way burner
4.95kW (3.90+1.05kW)

Rear right: 1.65kW

Front right: 1.65kW

St/steel base

St/steel knobs

Enamelled pan stands

Black burner caps

Automatic electronic ignition


Safety valves

Adaptable for LPG

OPTIONAL EXTRA:

Cast iron griddle

BB3679



SER60SX3

60CM "CLASSIC" GAS HOB, ST/STEEL



4 burners in "diamond" configuration
Left: Ultra-rapid triple flame burner 4.00kW
Rear: 1.65kW
Front: 1.05kW
Right: 2.55kW

St/Steel base
St/steel knobs
St/steel pan stands
St/steel burner caps

Automatic electronic ignition
Safety valves
Adaptable for LPG

SER60SGH3


60CM "CLASSIC" GAS HOB, ST/STEEL



4 burners in "diamond" configuration
Left: Ultra-rapid triple flame burner 4.00kW
Rear: 1.65kW
Front: 1.05kW
Right: 2.55kW

St/steel base
St/steel knobs
Heavy duty cast iron pan stands
Black burner caps

Automatic electronic ignition
Safety valves
Adaptable for LPG



SE60S3

60CM "CLASSIC" GAS HOB, ST/STEEL



4 burners in "diamond" configuration
Left: Ultra-rapid triple flame burner 4.00kW
Rear: 1.65kW
Front: 1.05kW
Right: 2.55kW

St/steel base
St/steel knobs
Enamelled pan stands
Black burner caps

Automatic electronic ignition
Safety valves
Adaptable for LPG

SE60SGH3

60CM "CLASSIC" GAS HOB, ST/STEEL



4 burners in "diamond" configuration
Left: Rapid burner: 3.10kW
Rear: 1.65kW
Front: 1.05kW
Right: 2.55kW

St/steel base
St/steel knobs
Heavy duty cast iron pan stands
Black burner caps

Automatic electronic ignition
Safety valves
Adaptable for LPG

CLASSIC

