

## OPERA COOKERS

CLEVER COMBINATIONS OF FEATURES, TECHNOLOGY AND STYLE HAVE PRODUCED THE TRULY VERSATILE SERIES OF SMEG OPERA RANGE COOKERS. THE SERIOUS COOK CAN SELECT A BEAUTIFUL DESIGN OBJECT TO ENHANCE THE KITCHEN, WHICH CAN REFLECT THE SKILL OF ITS OWNER BY PROVIDING EXCELLENT CULINARY RESULTS FROM ITS WEALTH OF FUNCTIONS AND FEATURES.



### Modern design

Smeg appliances are constantly in line with the latest design trends. All features, from control knobs to handles are designed to combine ease of use with innovation and research. These cookers are appealing, practical yet distinctive and styled to enhance the appearance of modern kitchens. All models are easy to use, easy to clean, reliable and manufactured to meet stringent safety and quality standards.

Opera range cookers form part of the Classic family, with its distinctive ergonomic control knobs and simple stainless steel handles and can be co-ordinated with chimney hoods, refrigeration and dishwashers in the same style. Sizes range from a modest 70cm width to an extra wide 150cm, with many hob options and colour choices.



### Variations to the Opera style

As an alternative to the established brushed stainless steel finish there is an impressive 120cm gloss black cooker as well as both 100 and 90cm options in either gloss black and now white, to add bold colour focus to a kitchen design.

Another option is a 90cm wide Opera range cooker in a gloss cream finish.





A1-6  
TPKX



### Gas hob

Many of the Opera range cookers are specified with a gas hob, and each one includes at least one ultra rapid burner, an auxiliary burner and a mix of rapid and semi rapid burners. The -6 Opera versions all include ultra rapid burners of 4kW, and the A5-6 features a powerful burner capable of an impressive 4.6kW output. Some Opera gas hobs include an elliptical burner specially designed to cook fish, and the stainless steel Teppanyaki grill plate TPKX, illustrated above, can be used with any of the gas burners.

All gas hobs are fitted with safety valves, are adaptable for LPG and feature flat heavy duty cast iron pan stands.



### Combination hob with electric griddle

A number of Opera hobs include a combination of an electric griddle, either with a ceramic hob, as featured on A2C-6 shown above, or with a gas hob, as in the A3-6, A4-6 and the A5-6. The griddle offers the possibility of conventional cooking directly on its Teflon coated easy care plate, and this plate can be alternated with the GO120 accessory, which creates an indoor barbecue with an open cast iron rack. A little water in the base of the hob beneath the griddle element prevents the residue from the food adhering the stainless steel beneath the barbecue.

### Ceramic hob

Ceramic hobs are included in Opera range cookers of three different sizes, offering choices in all electric options where required. The varied heating zones range from a single 145mm diameter to a dual oval zone of between 190mm and 290mm, suitable for a fish kettle or large oval pan. The ceramic hobs have automatic safety cut-outs and individual residual heat indicators for all the cooking zones.

### Induction hob

The Opera range cooker selection includes a 90cm model with a single large 70 litre oven and induction hob. The 5 cooking zones are suitable for 6 different pan sizes, between 90mm and 210mm, and each has a special turbo function to boost the power when necessary. Only magnetic pans can be used for induction cooking, which means the surface of the hob is not heated, instead it only picks up residual heat from the pan base making cleaning so much easier and enables the hob top to remain hygienically clean. The quick reaction of the cooking zones and the increased safety of the cooking system make induction hobs a superb choice for professional cooking with energy consumption reduced to a minimum.







### Oven space

Apart from the 90cm models with a single extra large 70 litre capacity oven, all Opera range cookers have two ovens. Main ovens are multi function, with capacities between 46 and 56 litres, all featuring a comprehensive choice of oven functions and stay clean liners. The A5 and A4 both offer a special pizza cooking function. All auxiliary ovens feature grills and conventional cooking, while those on the A3 and A2 models also offer a rotisserie and can be fitted with a plate rack as an accessory.



### Elegant clock

The analogue LED electronic clock/programmer which is featured in all Opera range cookers combines an attractively modern analogue clock face with the latest electronic technology, and is exclusive to Smeg. All the functions are extremely easy to set very quickly, and are immediately visible on the clock face.



### Pyrolitic cleaning

As part of the Opera range there is a version of the 100cm wide cooker with pyrolitic cleaning in the main oven, which saves precious time for the consumer while the oven cleans itself. The smooth enamel interior without chrome side supports adds extra oven space with a capacity of 54 litres.



### Convenience and adaptability

The flat surfaces of all the hob tops are ideal for large woks and pans, especially the gas ultra rapid burners. Apart from the smaller 70cm models, all Opera range cookers include a spacious full width stainless steel drawer, where numerous cooking accessories and trays can be stored, conveniently situated at the base of the cooker.



## A5-6

150CM "OPERA" DUAL CAVITY COOKER WITH GAS  
HOB WITH ELECTRIC GRIDDLE, ST/STEEL  
ENERGY RATING AA



### MAIN OVEN:

Energy rating A  
9 functions



70 litres

Analogue LED electronic clock/programmer

Cooling fan

Triple glazed removable door

Grill

Rotisserie

Stay Clean Liners

Conventional: 1.13kWh

Forced air convection: 0.99kWh

### AUXILIARY OVEN:

Energy rating A

8 functions



Analogue LED electronic clock/programmer

Triple glazed removable door

46 litres

Grill

Special pizza cooking function

Stay clean liners

Conventional: 0.85kWh

Forced air convection: 0.79kWh

Pull out full width storage drawer

### HOB:

8 burners

Rear left: 1.8kW

Front left: ultra rapid 4.0kW

Rear left centre: Rapid 3.kW

Front left centre: 1.05kW

Electric griddle: 1.6kW with Teflon coated plate

Rear right centre: Fishburner 1.9kW

Front right centre: 1.05kW

Right centre: Ultra Rapid dual flame 3-way burner 4.5kW (3.5+1.0kW)

Heavy duty cast iron pan stands

Chrome wok support

Automatic electronic ignition

Safety valves

LPG adaptable

Nominal power: 8kW

45 Amp power supply required

### STANDARD ACCESSORIES:

MAIN OVEN: Roasting/grill pan, grill mesh, chrome shelf, non-stick tray, rotisserie kit

AUXILIARY OVEN: Roasting/grill pan, grill mesh, chrome shelf, enamel covers, pizza stone, pizza shovel

### OPTIONAL EXTRAS:

Splash back

Kickplate

Chimney hood

Height extension

(to raise appliance by 5cm)

Deep kick plate

(for use with KIT3)

Cast iron ribbed griddle

Cast iron open griddle

for barbecue

Teppanyaki grill plate

3 level telescopic shelf set

2 Level telescopic shelf set

3 Level telescopic shelf set



(for main oven)

**KIT1A5-5**  
**KIT2A5-5**  
**KD150X-1**

**KIT3-6**

**KIT4A5-5**  
**GC120**

**GO120**  
**TPKX**  
**GT123DX**  
**GT13X**  
**GT90X**





A5-6  
KIT1A5-5  
KD150X-1

## A4-6

120CM "OPERA" DUAL CAVITY COOKER WITH GAS  
HOB WITH ELECTRIC GRIDDLE, ST/STEEL  
ENERGY RATING AA



### OVEN ONE:

Energy rating A  
9 functions



51 litres

Analogue LED electronic clock/programmer

Cooling fan

Triple glazed removable doors

Grill

Rotisserie

Stay clean liners

Conventional: 0.86kW/h

Forced air convection: 0.75kW/h

### OVEN TWO:

Energy rating A  
6 functions



46 litres

Minute minder

Cooling fan

Triple glazed removable doors

Grill

Special pizza cooking function

Stay clean liners

Conventional: 0.85kW/h

Forced air convection: 0.79kW/h

Pull out full width storage drawer

HOB:

6 burners

Rear left: 1.8kW

Front left: Ultra-rapid 4.0kW

Rear centre: Rapid 3.0kW

Front centre: 1.05kW

Electric griddle: 1.6kW with Teflon coated plate

Rear right: Fishburner 1.9kW

Front right: 1.05kW

Heavy duty cast iron pan stands

Chrome wok support

## A4BL-6

120CM "OPERA" DUAL CAVITY COOKER WITH GAS  
HOB WITH ELECTRIC GRIDDLE, GLOSS BLACK  
ENERGY RATING AA



Automatic electronic ignition

Safety valves

Adaptable for LPG

Nominal power: 6.80kW

30 Amp power supply required

### STANDARD ACCESSORIES:

OVEN ONE: roof liner, chrome shelf, roasting/grill pan & handle, enamelled tray, rotisserie kit

OVEN TWO: roof liner, chrome shelf, roasting/grill pan, enamelled tray, pizza stone & pizza shovel

### OPTIONAL EXTRAS:

Splash back

Kick plate

Chimney hood

Height extension

(to raise appliance by 5cm)

Deep kick plate

(for use with KIT3)

Cast iron open griddle

for barbecue

Cast iron ribbed griddle

for fishburner

Teppanyaki grill plate

3 Level telescopic shelf set

2 Level telescopic shelf set

**KIT1A3-6**  
**KIT2A3-2**  
**KD120X-1**

**KIT3-6**

**KIT4A3**

**GO120**

**GC120**

**TPKX**

**GT123DX**

**GT13X**


### AVAILABLE IN THE FOLLOWING VERSIONS:

St/steel

Gloss black

**A4-6**

**A4BL-6**







A4-6  
KIT1A3-6  
KD120X-1



## A3-6

120CM "OPERA" DUAL CAVITY COOKER WITH  
GAS HOB WITH ELECTRIC GRIDDLE, ST/STEEL  
ENERGY RATING AB



### MAIN OVEN:

Energy Rating A  
9 functions



70 litres

Analogue LED electronic clock/programmer

Cooling fan

Triple glazed removable door

Grill

Rotisserie

Stay clean liners

Conventional: 1.13kW/h

Forced air convection: 0.99kW/h

### AUXILIARY OVEN (STATIC OVEN):

Energy Rating B  
4 functions



34.5 litres

Triple glazed removable door

Rotisserie

Variable grill

Conventional: 0.70kW/h

Pull out full width storage drawer beneath  
the ovens

### HOB:

6 burners

Rear left: 1.8kW

Front left: Ultra rapid 4.0kW

Rear centre: Rapid 3.0kW

Front centre: 1.05kW

Electric griddle 1.6kW with Teflon coated plate

Rear right: Fishburner 1.9kW

Front right: 1.05kW

Heavy duty cast iron pan stands

Chrome wok support

Automatic electronic ignition

Safety valves

Adaptable for LPG

Nominal power: 6.8kW

30 Amp power supply required

### STANDARD ACCESSORIES:

MAIN OVEN: 2 Chrome shelves

(1 doubles as grill mesh),

roasting/grill pan, non-stick tray,

rotisserie kit

AUXILIARY OVEN: Chrome shelf,

roasting/grill pan, grill mesh,

rotisserie kit

### OPTIONAL EXTRAS:

Splash back

Kick plate

Chimney hood

Height extension

(to raise appliance 5cm)

Deep kick plate

(for use with KIT3)

Cast iron open griddle

for barbecue

Cast iron ribbed griddle

for fishburner

Plate rack

Teppanyaki grill plate

3 Level telescopic shelf set

(for main oven)

**KIT1A3-6**

**KIT2A3-2**

**KD120X-1**

**KIT3-6**

**KIT4A3**


**GO120**

**GC120**

**PR9A3**

**TPKX**

**GT90X**





A3-6  
KIT1A3-6  
KD120X-1

## PYROLITIC MAIN OVEN

### A2PY-6

100CM "OPERA" DUAL CAVITY COOKER WITH  
MULTIFUNCTION OVEN & GAS HOB, ST/STEEL  
ENERGY RATING AA



MAIN OVEN:  
Energy rating A  
10 functions




54 litres  
Analogue LED electronic clock/programmer  
Cooling fan  
Grill  
Quadruple glazed removable door  
Rotisserie  
**Pyrolitic cleaning**  
Conventional: 0.88 kW/h  
Forced air convection: 0.79 kW/h

AUXILIARY OVEN (STATIC OVEN):  
Energy rating A  
6 functions



27 litres  
Triple glazed removable door  
Rotisserie  
Conventional: 0.59kW/h

Pull out full width storage drawer beneath  
the ovens



### A2-6

100CM "OPERA" DUAL CAVITY COOKER WITH  
MULTIFUNCTION OVEN & GAS HOB, ST/STEEL  
ENERGY RATING AA



MAIN OVEN:  
Energy rating A  
8 functions



51 litres  
Analogue LED electronic clock/programmer  
Cooling fan  
Grill  
Triple glazed removable door  
Stay clean liners  
Conventional: 0.86kW/h  
Forced air convection: 0.75kW/h


AUXILIARY OVEN (STATIC OVEN):  
Energy rating A  
6 functions



27 litres  
Triple glazed removable door  
Rotisserie  
Conventional: 0.59kW/h

Pull out full width storage drawer beneath  
the ovens

FOR A2-6 ONLY:  
3 level telescopic shelf set **GT123DX**  
2 level telescopic shelf set **GT13X**



FOR BOTH MODELS ON THIS PAGE:

HOB:  
6 burners  
Rear left: ultra rapid 4.0kW  
Front left: 1.8kW  
Rear centre: 1.8kW  
Front centre: 1.05kW  
Rear right: rapid 3.0kW  
Front right: ultra rapid 4.0kW  
Heavy duty cast iron pan stands  
Chrome wok support  
Automatic electronic ignition  
Safety valves  
Adaptable for LPG

Nominal power: 5.3kW  
30 Amp power supply required

STANDARD ACCESSORIES FOR BOTH MODELS:  
MAIN OVEN: roasting/grill pan, grill mesh,  
grill pan handle, chrome shelf, enamelled  
tray, (rotisserie kit for A2PY-6 only)

AUXILIARY OVEN: roasting/grill pan, grill  
mesh, grill pan handle, chrome shelf,  
rotisserie kit

OPTIONAL EXTRAS:  
Splash back  
Splash back (for use  
with A2PY-6)  
St/steel chimney hood  
Kick plate  
Height extension  
(to raise appliance 5cm)  
Deep kick plate  
(for use with KIT3)  
Plate rack  
Teppanyaki grill plate

**KIT1A2-6**

**KIT1CSP20**  
**KD100X-1**  
**KIT2A2-2**  
**KIT3-6**

**KIT4A2**

**PR7A2**  
**TPKX**





A2PY-6  
KIT1CSP20  
KD100X-1

## A2BL-6

100CM "OPERA" DUAL CAVITY COOKER WITH  
MULTIFUNCTION OVEN AND GAS HOB,  
GLOSS BLACK  
ENERGY RATING AA



### MAIN OVEN:

Energy rating A  
8 functions



51 litres

Analogue LED electronic clock/programmer

Cooling fan

Grill

Triple glazed removable door

Stay clean liners

Conventional: 0.86kW/h

Forced air convection: 0.75kW/h

Auxiliary oven (static oven)

Energy rating A

6 functions



27 litres

Triple glazed removable door

Rotisserie

Conventional: 0.59kW/h

Pull out full width storage drawer beneath  
the ovens

HOB:

6 burners

Rear left: ultra rapid 4.0kW

Front left: 1.8kW

Rear centre: 1.8kW

Front centre: 1.05kW

Rear right: rapid 3.0kW

Front right: ultra rapid 4.0kW

Heavy duty cast iron pan stands

Chrome wok support

Automatic electronic ignition

Safety valves

Adaptable for LPG

Nominal power: 5.3kW

30 amp power supply required

## A2WH-6

100CM "OPERA" DUAL CAVITY COOKER WITH  
MULTIFUNCTION OVEN AND GAS HOB,  
WHITE  
ENERGY RATING AA



### STANDARD ACCESSORIES:

Main oven: roasting/grill pan, grill mesh,  
grill pan handle, chrome shelf, enamelled tray

Auxiliary oven: roasting/grill pan, grill mesh,  
grill pan handle, chrome shelf, rotisserie kit

### OPTIONAL EXTRAS:

Polished st/st splash back

Gloss black kick plate

White kick plate

Height extensions

(to raise appliance by 5cm)

Gloss black

White

Deep kick plates

(to use with KIT3)

Gloss black

White

3 level telescopic shelf set

2 level telescopic shelf set

Plate rack

Teppanyaki grill plate

**KIT1A2SE6**

**KIT2A2BL6**

**KIT2A2B-6**

**KIT3N6**

**KIT3B6**

**KIT4A2N-6**

**KIT4A2B-6**

**GT123DX**

**GT13X**

**PR7A2**

**TPKX**

### AVAILABLE IN THE FOLLOWING VERSIONS:

Gloss black

White

**A2BL-6**

**A2WH-6**



### MATCHING CHIMNEY HOODS:

Gloss black

White

**KD100N**

**KD100B**





A2BL-6  
KIT1A2SE6  
KD100N



## A2C-6

100CM "OPERA" DUAL CAVITY COOKER WITH  
MULTIFUNCTION OVEN, CERAMIC HOB, AND  
ELECTRIC GRIDDLE, ST/STEEL  
ENERGY RATING AA



### MAIN OVEN:

Energy Rating A  
8 functions



51 litres

Analogue LED electronic clock/programmer

Cooling fan

Grill

Triple glazed removable door

Stay clean liners

Conventional: 0.86kW/h

Forced air convection: 0.75kW/h

### AUXILIARY OVEN (STATIC OVEN):

Energy Rating A

6 functions



27 litres

Triple glazed removable door

Rotisserie

Conventional: 0.59kW/h

Pull out full width storage drawer beneath  
the ovens

### HOB:

4 radiant "Highlight" zones, including 2 dual

Rear left: Ø 110-180mm, 0.7/1.0kW

Front left: Ø 145 mm, 1.2kW

Rear right: Ø 145 mm, 1.2kW

Front right: Ø 110-180mm, 0.7/1.0kW

Right hand electric griddle: 1.6kW

Automatic safety cut out

Residual heat indicators

Nominal power: 12.35kW

45 Amp power supply required

### STANDARD ACCESSORIES:

MAIN OVEN: roasting/grill pan, grill mesh,  
1 chrome shelf, enamelled tray

AUXILIARY OVEN: roasting/grill pan, grill mesh,  
chrome shelf, rotisserie kit

### OPTIONAL EXTRAS:

Splash back

Kick plate

Chimney hood

Height extension

(to raise appliance 5cm)

Deep kick plate

(for use with KIT3)

3 level telescopic shelf set

2 level telescopic shelf set

Plate rack

**KIT1A2-6**

**KIT2A2-2**

**KD100X-1**



**KIT3-6**

**KIT4A2**

**GT123DX**

**GT13X**

**PR7A2**





A2C-6  
KITIA2-6  
KD100X-1

## CS19ID-6

90CM "OPERA" COOKER WITH  
MULTIFUNCTION OVEN AND INDUCTION HOB,  
ST/STEEL  
ENERGY RATING A



### OVEN:

Energy rating A  
9 functions



70 litres

Analogue LED electronic clock/  
programmer

Cooling fan

Triple glazed removable doors

Grill

Rotisserie

Stay clean liners

Storage drawer beneath the oven

### HOB:

5 "full power" induction zones, including

Rear left: Ø 90/145mm, 1.4kW -

turbo 1.8kW

Front left: Ø 135/210mm, 2.3kW -

turbo 3.3kW

Central: Ø 110/180mm, 1.85kW -

turbo 2.5kW

Rear right: Ø 90/145mm, 1.4kW -

turbo 1.8kW

Front right: Ø 135/210mm, 2.3kW -

turbo 3.3kW

Automatic safety cut-out

Residual heat indicators

Low heat position on each zone for  
keeping food warm

Nominal power: 12.15kW

Conventional: 1.13kW/h

Forced air convection: 0.98kW/h

45 Amp power supply required

### STANDARD ACCESSORIES:

Roasting/grill pan, 2 chrome shelves  
(1 doubles as grill mesh), non-stick tray,  
rotisserie kit

### OPTIONAL EXTRAS:

Splash back

**KIT1A1C6**

Kick plate

**KIT2A1-2**

Chimney hood

**KD90X-1**

Height extension

(to raise appliance by 5cm) **KIT3-6**



Deep kick plate

(for use with KIT3)

**KIT4A1**

3 level telescopic shelf set

**GT90X**







## A1-6

90CM "OPERA" COOKER WITH MULTIFUNCTION  
OVEN AND GAS HOB, ST/STEEL  
ENERGY RATING A



### OVEN:

Energy Rating A  
9 functions



70 litres  
Analogue LED electronic clock/ programmer  
Cooling fan  
Triple glazed removable door  
Rotisserie  
Stay clean liners  
Storage drawer beneath the oven

### HOB:

6 burners  
Rear left: Rapid 3.0kW  
Front left: Ultra rapid 4.0kW  
Rear centre: Fishburner 1.9kW  
Front centre: 1.05kW  
Rear right: Rapid 3.0kW  
Front right: 1.8kW  
Heavy duty cast iron pan stands  
Chrome wok support  
Automatic electronic ignition  
Safety valves  
Adaptable for LPG

Nominal power: 3.0kW  
Conventional: 1.13kW/h  
Forced air convection: 0.98kW/h  
13 Amp power supply required

### STANDARD ACCESSORIES:

Roasting/grill pan, grill mesh, 2 chrome  
shelves (1 doubles as grill mesh), non-stick  
tray, rotisserie kit, wok support

## A1P-6

90CM "OPERA" COOKER WITH MULTIFUNCTION  
OVEN AND GAS HOB, CREAM  
ENERGY RATING A



### OPTIONAL EXTRAS:

Splash back  
St/Steel kick plate  
Cream kick plate  
St/Steel chimney hood  
Height extension  
(to raise appliance 5cm)  
Deep kick plate  
(for use with KIT3)  
Teppanyaki grill plate  
3 Level telescopic shelf set



**KIT1A1-6**  
**KIT2A1-2**  
**KIT2A1P-2**  
**KD90X-1**

**KIT3-6**

**KIT4A1**  
**TPKX**  
**GT90X**

### AVAILABLE IN THE FOLLOWING VERSIONS:

St/steel **A1-6**  
Cream **A1P-6**





A1-6  
KIT1A1-6  
KD90X-1



## A1BL-6

90CM "OPERA" COOKER WITH MULTIFUNCTION  
OVEN AND GAS HOB, GLOSS BLACK  
ENERGY RATING A



### OVEN:

Energy Rating A  
9 functions



70 litres  
Analogue LED electronic clock/ programmer  
Cooling fan  
Triple glazed removable door  
Rotisserie  
Stay clean liners  
Storage drawer beneath the oven

### HOB:

6 burners  
Rear left: Rapid 3.0kW  
Front left: Ultra rapid 4.0kW  
Rear centre: Fishburner 1.9kW  
Front centre: 1.05kW  
Rear right: Rapid 3.0kW  
Front right: 1.8kW  
Heavy duty cast iron pan stands  
Chrome wok support  
Automatic electronic ignition  
Safety valves  
Adaptable for LPG

Nominal power: 3.0kW  
Conventional: 1.13kW/h  
Forced air convection: 0.98kW/h  
13 Amp power supply required

### STANDARD ACCESSORIES:

Roasting/grill pan, grill mesh, 2 chrome  
shelves (1 doubles as grill mesh), non-stick  
tray, rotisserie kit

## A1WH-6

90CM "OPERA" COOKER WITH MULTIFUNCTION  
OVEN AND GAS HOB, WHITE  
ENERGY RATING A



### OPTIONAL EXTRAS:

Polished st/st splash back  
Gloss black kick plate  
White kick plate  
Height extensions  
(to raise appliance by 5cm)  
Gloss black  
White  
Deep kick plates  
(to use with KIT3)  
Gloss black  
White  
Teppanyaki grill plate  
3 Level telescopic shelf set

**KIT1A1SE6**  
**KIT2A1N-6**  
**KIT2A1B-6**

**KIT3N6**  
**KIT3B6**

**KIT4A1N-6**  
**KIT4A1B-6**  
**TPKX**  
**GT90X**

### AVAILABLE IN THE FOLLOWING VERSIONS:



Gloss black  
White

**A1BL-6**  
**A1WH-6**

### MATCHING CHIMNEY HOODS:

Gloss black  
White

**KD90N**  
**KD90B**





A1WH-6  
KIT1A1SE6  
KD90B

## A1C-6

90CM "OPERA" COOKER WITH MULTIFUNCTION  
OVEN AND CERAMIC HOB, ST/STEEL  
ENERGY RATING A



### OVEN:

Energy Rating A  
9 functions



70 litres

Analogue LED electronic clock/programmer

Cooling fan

Triple glazed removable door

Rotisserie

Stay clean liners

Storage drawer beneath the oven

### OPTIONAL EXTRAS:

Splash back

Kick plate

Chimney hood

Height extension

(to raise appliance 5cm)

Deep kick plate

(for use with KIT3)

3 Level telescopic shelf set

**KIT1A1C6**

**KIT2A1-2**

**KD90X-1**

**KIT3-6**

**KIT4A1**

**GT90X**

### HOB:

5 radiant "High-Light" zones, including 2 dual

Rear left: Ø 155 mm, 1.2kW

Front left: Ø 125/215 mm, 0.7/2.1kW

Centre: Ø 190/290 mm, 1.4/2.2kW

Rear right: Ø 155 mm, 1.2kW

Front right: Ø 215 mm, 2.1kW

Automatic safety cut-out

Residual heat indicators

Nominal power: 12kW



Conventional: 1.13kW/h

Forced air convection: 0.98kW/h

45 Amp power supply required

### STANDARD ACCESSORIES:

Roasting/grill pan, 2 chrome shelves  
(1 doubles as grill mesh), non-stick tray,  
rotisserie kit





A1C-6  
KIT1A1C6  
KD90X-1



## A42-6

70CM "OPERA" DUAL CAVITY COOKER WITH  
MULTIFUNCTION OVEN AND GAS HOB, ST/STEEL  
ENERGY RATING AB



### MAIN OVEN:

Energy Rating A  
5 functions



56 litres  
Analogue LED electronic clock/programmer  
Cooling fan  
Triple glazed removable door  
Rotisserie  
Stay clean liners  
Forced air convection: 0.79kW/h

AUXILIARY OVEN (STATIC OVEN):  
Energy Rating B  
4 functions



29 litres  
Triple glazed removable door  
Variable grill  
Conventional: 0.74kW/h

### HOB:

4 burners  
Rear left: 1.8kW  
Front left: ultra rapid 4.0 kW  
Rear right: Rapid 3.0kW  
Front right: 1.05kW  
Heavy duty cast iron pan stands  
Chrome wok support  
Automatic electronic ignition  
Safety valves  
Adaptable for LPG

Nominal power: 5.3kW  
30 Amp power supply required

## A42C-6

DUAL CAVITY COOKER WITH MULTIFUNCTION OVEN AND  
CERAMIC HOB, ST/STEEL  
ENERGY RATING AB



The ovens for the A42C-6 are the same  
specification as the A42-6

### HOB:

4 Radiant 'High-Light' zones, including 2 dual  
Rear left: Ø 145mm, 1.2kW  
Front left: Ø 120/210mm, 0.7/2.1kW  
Rear right: Ø 190/290mm, 1.4/2.2kW  
Front right: Ø 180mm, 1.8kW  
Automatic safety cut-out  
Residual heat indicators

Nominal power: 10.8kW  
45 Amp power supply required

FOR BOTH MODELS THIS PAGE:

### STANDARD ACCESSORIES:

MAIN OVEN: roasting/grill pan, grill mesh, 1  
chrome shelf, enamelled tray, rotisserie kit

AUXILIARY OVEN: roasting/grill pan, grill  
mesh, 1 chrome shelf

### OPTIONAL EXTRAS:



Universal Pizza Stone  
Pizza Shovel  
Splash back  
Chimney Hood  
Height extension  
(to raise appliance 5cm)  
Deep kick plate  
(for use with KIT3)  
3 level telescopic shelf set  
2 level telescopic shelf set  
Teppanyaki grill plate  
(for A42-6 only)

**PPR1**  
**PAL**  
**KIT1A42-2**  
**KD70X-1**

**KIT3-6**

**KIT4A42**  
**GT123DX**  
**GT13X**

**TPKX**





A42-6  
KIT1A42-2  
KD70X-1